

Datasheet

Speaker

Part No: 200097




About the product

In Wall 6.5" stereo/mono switchable coaxial speaker

Electrical Data

| | |
|---------------------|--------------------------------|
| Rated power | 30W |
| Maximum power | 60W |
| Nominal impedance | 8 Ω + 8 Ω |
| Sensitivity | 86dB |
| Crossover | 12dB Oct |
| Frequency range | 60 ... 20000Hz |
| Ambient Temperature | -30 ... 70°C / -22 ... 158°F |
| Humidity | max. 95% r.H. (non condensing) |
| Chassis type | stamped steel basket |
| Magnet type | Ferrite |
| Magnet weights | 286g / 10.1oz |
| Voice coil diameter | 25.5mm / 1" |
| Coil material | SV |
| Cone material | PP |
| Sorround material | Rubber |


Frequency response curves



Dimensions

| | |
|--------------------|------------------|
| Product dimensions | 224mm / 8.82" |
| Cut out size | 203.05mm / 8.01" |
| Installation depth | 90mm / 3.54" |

Dimensional Drawing



Installation must be carried out by a qualified electrician in accordance with the relevant regulations.

Published by
Loxone Electronics GmbH
Smart Home 1
4154 Kollerschlag
Austria
Tel: +43 7287 7070-0
loxone.com

Datenblatt

Speaker

Art. Nr. 200097




Information zum Produkt

Umschaltbarer 6,5-Zoll-Stereo/Mono-Koaxial-Einbaulautsprecher

Elektrische Daten

| | |
|------------------------------|-------------------------------------|
| Nennleistung | 30W |
| Maximale Leistung | 60W |
| Nominale Impedanz | 8 Ω + 8 Ω |
| max. Lautstärke | 86dB |
| Frequenzbereich | 60 ... 20000Hz |
| Umgebungstemperatur | -30 ... 70°C / -22 ... 158°F |
| Luftfeuchtigkeit | max. 95% r.H. (nicht kondensierend) |
| Gehäusetyp | gestanzter Stahlkorb |
| Magnettyp | Ferrit |
| Magnetgewicht | 286g / 10,1oz |
| Durchmesser der Schwingspule | 25,5mm / 1" |
| Material Spule | SV |
| Material Konus | PP |
| Umgebungsmaterial | Gummi |


Frequenzkurven



Abmessungen

| | |
|-------------------|-----------------|
| Produktmaße | 224mm / 8,82" |
| Einbaudurchmesser | 203,5mm / 8,01" |
| Einbautiefe | 90mm / 3,54" |

Maßzeichnung



Die Installation muss nach den einschlägigen Vorschriften durch eine Elektrofachkraft erfolgen.

Veröffentlicht von
Loxone Electronics GmbH
Smart Home 1
4154 Kollerschlag
Austria
Tel: +43 7287 7070-0
loxone.com